

CHAIN SAW ACCESSORIES

GUIDE BAR & SAW CHAIN REFERENCE CHART

ECHO bars and chains are specifically matched to get the most out of every saw. The chart is sorted by model name and includes the appropriate length bar and chain along with the link count, gauge and pitch.



| Model | Gauge (in) | Pitch (in) | GUIDE BAR | | | | | SAW CHAIN | | | | |
|----------------------|------------|------------|-------------|--------------|------------------|--------------|----------|------------------------------|-------------|--------------|--------------|--------------|
| | | | Length (cm) | Mount type | Type | Part number | Bar type | Nose type (Replaceable nose) | Drive links | Oregon type | Part number | Cariton type |
| CS-2511TES | 0.050 | 3/8 | 20 | C | 20RC50S-3/8 | X120-000020 | Laminate | Sprocket | 35 | 91PX | X220-000020 | N1C-BL |
| | | | 25 | | 25RC50S-3/8 | X121-000002 | | | 40 | | X221-000100 | |
| | | | 30 | | C30S91-47ML- ET | X122-000073 | | | 47 | | X222-000140 | |
| CS-2511TES C | 0.050 | 1/4 | 20 | C | C20H25-52CL- ED | X100-000060 | Solid | Hard | 52 | 25AP | X200-000000 | - |
| | | | 25 | | C25H25-60CLD ED | X101-000200 | | | 60 | | 431610-10030 | |
| | | | | | | | | | | | | |
| CS-260TES | 0.050 | 3/8 | 20 | C | 20RC50S-3/8 | X120-000020 | Laminate | Sprocket | 35 | 91PX | X220-000020 | N1C-BL |
| | | | 25 | | 25RC50S-3/8 | X121-000002 | | | 40 | | X221-000100 | |
| | | | 30 | | C30S91-47ML- ET | X122-000073 | | | 47 | | X222-000140 | |
| CS-280T CS-280TES | 0.050 | 3/8 | 20 | C | 20RC50S-3/8 | X120-000020 | Laminate | Sprocket | 35 | 91PX | X220-000020 | N1C-BL |
| | | | 25 | | 25RC50S-3/8 | X121-000002 | | | 40 | | X221-000100 | |
| | | | 30 | | C30S91-47ML- ET | X122-000073 | | | 47 | | X222-000140 | |
| CS-280TES C | 0.050 | 1/4 | 25 | C | 25C50SL ECHO | X101-000010 | Solid | Hard | 60 | 25AP | 431610-10030 | - |
| | | | | | 25LC50S-1/4 CEC | X101-000170 | Laminate | | | | | |
| CS-3000 | 0.050 | 3/8 | 30 | C | C30S91-47ML- ET | X122-000073 | Laminate | Sprocket | 47 | 91PX | X222-000140 | N1C-BL |
| | | | 35 | | 35RC50M-3/8 ECHO | X123-000132 | | | 53 | | X223-000130 | |
| CS-303T | 0.050 | 3/8 | 30 | C | C30S91-47ML- ET | X122-000073 | Laminate | Sprocket | 47 | 91PX | X222-000140 | N1C-BL |
| | | | 35 | | 35RC50M-3/8 ECHO | X123-000132 | | | 53 | | X223-000130 | |
| CS-320TES | 0.050 | 3/8 | 30 | C | C30S91-47ML- ET | X122-000073 | Laminate | Sprocket | 47 | 91PX | X222-000140 | N1C-BL |
| | | | 35 | | 35RC50M-3/8 ECHO | X123-000132 | | | 53 | | X223-000130 | |
| CS-350TES | 0.050 | 3/8 | 30 | C | C30S91-47ML- ET | X122-000073 | Laminate | Sprocket | 47 | 91PX | X222-000140 | N1C-BL |
| | | | 35 | | 35RC50M-3/8 ECHO | X123-000132 | | | 53 | | X223-000130 | |
| CS-360TES | 0.050 | 3/8 | 30 | C | 30RC50MDC-3/8 EC | X122-000340 | Laminate | Sprocket | 47 | 91PX | X222-000140 | N1C-BL |
| | | | 35 | | 35RC50MDC-3/8 EC | X123-000550 | | | 53 | | X223-000130 | |
| | 0.050 | 1/4 | 30 | | 30C50SL ECHO | X102-000070 | Solid | Hard | 68 | 25A | X202-000010 | - |
| | | | 35 | | C35H25-76CL- ET | X103-000111 | Solid | Hard | 76 | 25A | X203-000000 | |
| CS-281WES | 0.050 | 3/8 | 20 | C | 20RC50S-3/8 | X120-000020 | Laminate | Sprocket | 35 | 91PX | X220-000020 | N1C-BL |
| | | | 25 | | 25RC50S-3/8 | X121-000002 | | | 40 | | X221-000100 | |
| | | | 30 | | C30S91-47ML- ET | X122-000073 | | | 47 | | X222-000140 | |
| | 0.050 | 1/4 | 30 | 30C50SL ECHO | X102-000070 | | Hard | 68 | 25AP | 431611-10030 | - | |
| | | | | | | | | 25A | X202-000010 | | | |
| CS-350WES | 0.050 | 3/8 | 30 | C | C30S91-47ML- ET | X122-000073 | Laminate | Sprocket | 47 | 91PX | X222-000140 | N1C-BL |
| | | | 35 | | 35RC50-3/8 | 430219-38732 | | | 53 | 91VXL | X222-000130 | |
| | | | | | 35RC50M-3/8 ECHO | X123-000132 | | | 53 | 91VXL | X223-000080 | |
| | | | | | 40RC50-3/8 | 430211-13432 | | | 58 | 91VXL | X223-000130 | |
| CS-361WES | 0.050 | 3/8 | 30 | C | C30S91-47ML- ET | X122-000073 | Laminate | Sprocket | 47 | 91PX | X222-000140 | N1C-BL |
| | | | 35 | | 35RC50-3/8 | 430219-38732 | | | 53 | 91VXL | X222-000130 | |
| | | | | | 35RC50M-3/8 ECHO | X123-000132 | | | 53 | 91VXL | X223-000080 | |
| | | | | | 40RC50-3/8 | 430211-13432 | | | 58 | 91VXL | X223-000080 | |
| | 0.050 | 1/4 | 30 | C | 30C50SL ECHO | X102-000070 | Solid | Hard | 68 | 25AP | 431611-10030 | - |
| | | | 35 | | C35H25-76CL- ET | X103-000111 | | | 76 | 25A | X202-000010 | |
| | | | | | | | | | 25AP | 431612-10030 | | |
| | | | | | | | | | 25A | X203-000000 | | |

| Model | Gauge (in) | Pitch (in) | GUIDE BAR | | | | | SAW CHAIN | | | | |
|----------------------------|------------|------------|-------------|------------|------------------|-----------------|----------|------------------------------|-------------|-------------|--------------|--------------|
| | | | Length (cm) | Mount type | Type | Part number | Bar type | Nose type (Replaceable nose) | Drive links | Oregon type | Part number | Carlton type |
| CS-309ES | 0.050 | 3/8 | 35 | C | 35RC50M-3/8ECHO | X123-000550 | Laminate | Sprocket | 53 | 91VXL | 90PX-45E | N1C-BL |
| CS-310ES | 0.043 | 3/8 | 30 | C | C30S90-45SA- ET | X122-000181 | Laminate | Sprocket | 45 | 90PX | X222000-150 | - |
| | | | 35 | | 35RC43S-3/8 ECHO | X123-000230 | | | 52 | | X223000-150 | |
| | 0.050 | 3/8 | 30 | C | C30S91-47ML- ET | X122-000073 | Laminate | Sprocket | 47 | 91PX | X222-000140 | N1C-BL |
| | | | 35 | | 35RC50M-3/8 ECHO | X123-000132 | | | 53 | 91VXL | X222-000130 | N1C-BL |
| CS-352ES | 0.043 | 3/8 | 30 | C | C30S90-45SA- ET | X122-000181 | Laminate | Sprocket | 45 | 90PX | 90PX-45E | - |
| | | | 35 | | 35RC43S-3/8 ECHO | X123-000230 | | | 52 | | X223000-150 | |
| | 0.050 | 3/8 | 30 | C | C30S91-47ML- ET | X122-000073 | Laminate | Sprocket | 47 | 91PX | X222-000140 | N1C-BL |
| | | | 35 | | 35RC50M-3/8 ECHO | X123-000132 | | | 53 | 91VXL | X222-000130 | |
| CS-353ES (RUS) | 0.050 | 3/8 | 35 | C | 35RC50SLD-3/8 EC | X123-000530 | Laminate | Sprocket | 52 | 91VXL | X223-000090 | N1C-BL |
| | | | 35 | | 35RC50MDC-3/8 EC | X123-000550 | | | 53 | | X223-000080 | |
| CS-353ES (BASIC) | 0.050 | 3/8 | 35 | C | 35RC50M-3/8 ECHO | X123-000132 | Laminate | Sprocket | 53 | 91VXL | X223-000080 | N1C-BL |
| CS-353ES (KOR) | 0.050 | 3/8 | 40 | C | 40RC50-3/8 | 430211-13432 | Laminate | Sprocket | 58 | 91VXL | X224-000030 | N1C-BL |
| CS-3700ES (RUS) | 0.050 | 0.325 | 40 | C | 40RD50-325 | 430511-17832 | Laminate | Sprocket | 66 | 95VPX | 431711-60031 | K1NK-BL |
| CS-370ES | 0.050 | 3/8 | 35 | C | 35RC50M-3/8 ECHO | X123-000132 | Laminate | Sprocket | 53 | 91VXL | X223-000080 | N1C-BL |
| | | | 40 | | 40RC50-3/8 | 430211-13432 | | | 58 | | X224-000030 | |
| | 0.058 | 0.325 | 33 | C | 33RD58-325 | 430513-16633 | Laminate | Sprocket | 56 | 21BPX | 431713-30231 | K2L |
| | | | 38 | | C38S21-64AA- ET | 430521-37334 | | | 64 | | 431721-30231 | |
| CS-390ESX (EU) | 0.050 | 0.325 | 33 | V | 33LRV50D-325EC | X122-000380 | Laminate | Sprocket | 56 | 95VPX | X242-000000 | K1NK-BL |
| | | | 38 | | 38LRV50D-325 EC | X123-000580 | | | 64 | | X243-000000 | |
| CS-390ESX (RUS) | 0.050 | 0.325 | 38 | V | 38LRV50D-325 EC | X123-000580 | Laminate | Sprocket | 64 | 95VPX | X243-000000 | K1NK-BL |
| CS-4200ES (RUS) | 0.050 | 0.325 | 40 | C | 40RD50-325 | 430511-17832 | Laminate | Sprocket | 66 | 95VPX | 431711-60031 | - |
| CS-420ES (EU) | 0.058 | 0.325 | 38 | C | C38S21-64AA- ET | 430521-37334 | Laminate | Sprocket | 64 | 21BPX | 431721-30231 | K2L |
| | | | 45 | | C45S21-72AA- ET | 430527-37334 | | | 72 | | 431717-30231 | |
| CS-420ES (AUS, BASIC, PRC) | 0.058 | 0.325 | 38 | C | 38RD58-325 | 430521-37333 | Laminate | Sprocket | 64 | 21BPX | 431721-30231 | K2L |
| | | | 45 | | C45S21-72AA- ET | 430527-37334 | | | 72 | | 431717-30231 | |
| | | | 45 | V | 45RV58-325 | 430517-30133 | Solid | Sprocket (X160000000) | 72 | 21LPX | X245-000011 | |
| CS-421ES (KOR) | 0.058 | 0.325 | 45 | V | 45RV58-325 | 430517-30133 | Solid | Sprocket (X160000000) | 72 | 21LPX | X245-000011 | K2L |
| CS-450 | 0.058 | 0.325 | 38 | V | 38RV58-325 | 430521-30133 | Solid | Sprocket (X160000000) | 64 | 21BPX | 431721-30231 | K2L |
| | | | 45 | | 45RV58-325 | 430517-30133 | | | 72 | | 431717-30231 | |
| | | | 50 | | 50RV58-325 | 430512-30133 | | | 80 | | 431712-30231 | |
| CS-450 (RUS) | 0.058 | 0.325 | 38 | C | C38S21-64AA- ET | 430521-37334 | Laminate | Sprocket | | | | |
| CS-452ESX (RUS) | 0.058 | 0.325 | 38 | C | C38S21-64AA- ET | 430521-37334 | Laminate | Sprocket | 64 | 21BPX | 431721-30231 | K2L |
| CS-452ESX (EU) | 0.058 | 0.325 | 33 | C | 33RD58-325 | 430513-16633 | Laminate | Sprocket | 56 | 21BPX | 431713-30231 | K2L |
| | | | 38 | | V | 38LRV58LD-325EC | | | X123-000600 | | 64 | |
| CS-510 | 0.058 | 0.325 | 38 | V | 38RV58-325 | 430521-30133 | Solid | Sprocket (X160000000) | 64 | 21BPX | 431721-30231 | K2L |
| | | | 45 | | 45RV58-325 | 430517-30133 | | | 72 | | 431717-30231 | |
| | | | 50 | | 50RV58-325 | 430512-30133 | | | 80 | | 431712-30231 | |
| CS-525 | 0.058 | 0.325 | 45 | V | 45RV58LD-325 EEC | X125-000310 | Solid | Sprocket (X160000090) | 72 | 21BPX | 431717-30231 | K2L |
| CS-490ES | 0.058 | 0.325 | 38 | V | 38LRV58LD-325EC | X123-000600 | Laminate | Sprocket | 64 | 21BPX | 431721-30231 | K2L |
| | | | 45 | | 45LRV58LD-325EC | X125-000330 | | | 72 | | 431717-30231 | |
| | | | 50 | | 50LRV58LD-325EC | X126-000270 | | | 80 | | 431712-30231 | |
| CS-501SX | 0.058 | 0.325 | 40 | V | 40RV58D-325EEC | X124-000690 | Solid | Sprocket (X160000090) | 68 | 21BPX | 431711-38331 | K2L |
| | | | 45 | | 45RV58D-325EEC | X125-000350 | | | 72 | | 431717-30231 | |
| | | | 50 | | 50RV58D-325EEC | X126-000290 | | | 80 | | 431712-30231 | |
| CS-550 | 0.058 | 0.325 | 38 | V | 38RV58-325 | 430521-30133 | Solid | Sprocket (X160000000) | 64 | 21BPX | 431721-30231 | K2L |
| | | | 45 | | 45RV58-325 | 430517-30133 | | | 72 | | 431717-30231 | |
| | | | 50 | | 50RV58-325 | 430512-30133 | | | 80 | | 431712-30231 | |
| | 0.058 | 3/8 | 40 | V | 40RV58-3/8E | X124-000501 | Solid | Sprocket (X160000100) | 60 | 73LGX | X264-000040 | A2LM |
| | | | 45 | | 45RV58-3/8E | X125-000181 | | | 64 | | 431017-30831 | |
| | | | 50 | | 50RV58-3/8E | X126-000151 | | | 72 | | 431012-30831 | |

CHAIN SAW ACCESSORIES

| Model | Gauge (in) | Pitch (in) | GUIDE BAR | | | | | | SAW CHAIN | | | | |
|---------------------------|------------------|--------------|-----------------------|------------|------------------|--------------|-----------------------|------------------------------|-----------------|-------------|--------------|-------------|--------------|
| | | | Length (cm) | Mount type | Type | Part number | Bar type | Nose type (Replaceable nose) | Drive links | Oregon type | Part number | Carton type | |
| CS-600S CS-610 (PRC) | 0.058 | 3/8 | 40 | S | 40RS58T-3/8 EEC | 430211-30834 | Solid | Sprocket (X160000100) | 60 | 73LPX | X264-000060 | A2LM-BL | |
| | | | | | 40LRS58-3/8 ECHO | X124-000480 | Laminate | Sprocket | | | | | |
| | | | 45 | | 45RS58T-3/8 EEC | 430217-30834 | Solid | Sprocket (X160000100) | 64 | | X265-000060 | | |
| | | | | | 45LRS58-3/8 ECHO | X125-000170 | Laminate | Sprocket | | | | | |
| | | | 50 | | 18D8TW3866 | X105-000050 | Solid | Hard | 72 | | X266-000060 | | |
| | | | | | 50RS58T-3/8 EEC | 430212-30834 | Solid | Sprocket (X160000100) | | | | | |
| | | | | | 50LRS58-3/8 ECHO | X126-000140 | Laminate | Sprocket | | | | | |
| | | | | | 20D8TW3872 | X106-000050 | Solid | Hard | | | | | |
| | | | 60 | | 60RS58T-3/8 EEC | 430213-30834 | Solid | Sprocket (X160000100) | 84 | | X268-000040 | | |
| | | | | | 24D8TW3884 | X108-000020 | Solid | Hard | | | | | |
| | | | 70 | | 70RS58T-3/8 EEC | 430215-30834 | Solid | Sprocket (X160000100) | 96 | | X270-000060 | | |
| | | | | | 28D8TW3892 | X110-000000 | | Hard | | | | | 92 |
| CS-605 | 0.058 | 3/8 | 40 | S | 40LRS58-3/8 ECHO | X124-000480 | Laminate | Sprocket | 60 | 73LGX | 431017-30831 | A2LM | |
| | | | 45 | | 45LRS58-3/8 ECHO | X125-000170 | | Sprocket | | | | | |
| | | | 45 | | 45RS58T-3/8 EEC | 430217-30834 | Solid | Sprocket (X160000100) | 64 | | | | 431012-30831 |
| | | | 50 | | 50RS58T-3/8 EEC | 430212-30834 | | | | | | | |
| | | | 60 | | 60RS58T-3/8 EEC | 430213-30834 | | | | | | | |
| | | | 60 | | 60RS58T-3/8 EEC | 430213-30834 | | | | | | | |
| CS-620SX (BASIC, EU, RUS) | 0.058 | 3/8 | 45 | S | 45RS58D-3/8 EEC | X125-000260 | Solid | Sprocket (X160000080) | 72 | 73LPX | X265-000060 | A2LM-BL | |
| | | | 50 | | 50RS58D-3/8 EEC | X126-000190 | | | | | | | |
| | | | 60 | | 60RS58D-3/8 EEC | X128-000050 | | | | | | | |
| CS-620SX (TUR) | 0.058 | 3/8 | 50 | S | 50S58D-3/8 EEC | X106-000060 | Solid | Hard | 72 | 73LPX | X266-000060 | A2LM-BL | |
| CS-680 | 0.058 | 3/8 | 45 | S | 45RS58T-3/8 EEC | 430217-30834 | Solid | Sprocket (X160000100) | 64 | 73LGX | 431017-30831 | A2LM | |
| | | | 50 | | 50RS58T-3/8 EEC | 430212-30834 | | | | | | | |
| | | | 60 | | 60RS58T-3/8 EEC | 430213-30834 | | | | | | | |
| CS-680 (RUS) | 0.058 | 3/8 | 45 | S | 45RS58T-3/8 EEC | 430217-30834 | Solid | Sprocket (X160000100) | 64 | 73LGX | 431017-30831 | A2LM | |
| | | | | | 45LRS58-3/8 ECHO | X125-000170 | Laminate | Sprocket | | | | | |
| | | | 50 | | 50RS58T-3/8 EEC | 430212-30834 | Solid | Sprocket (X160000100) | 72 | | | | 431012-30831 |
| | | | | | 50LRS58-3/8 ECHO | X126-000140 | Laminate | Sprocket | | | | | |
| | | | 60 | | 60RS58T-3/8 EEC | 430213-30834 | Solid | Sprocket (X160000100) | 84 | | | | 431013-30831 |
| | | | CS-680S | | 0.058 | 3/8 | 40 | S | 40RS58T-3/8 EEC | | | | 430211-30834 |
| 40LRS58-3/8 ECHO | X124-000480 | Laminate | | Sprocket | | | | | | | | | |
| 45 | 45RS58T-3/8 EEC | 430217-30834 | | Solid | | | Sprocket (X160000100) | | 64 | X265-000060 | | | |
| | 45LRS58-3/8 ECHO | X125-000170 | | Laminate | | | Sprocket | | | | | | |
| 50 | 18D8TW3866 | X105-000050 | | Solid | | | Hard | | 72 | X265-000030 | | | |
| | 50RS58T-3/8 EEC | 430212-30834 | | Solid | | | Sprocket (X160000100) | | | | | | |
| | 50LRS58-3/8 ECHO | X126-000140 | | Laminate | | | Sprocket | | | | | | |
| | 20D8TW3872 | X106-000050 | | Solid | | | Hard | | | | | | |
| 60 | 60RS58T-3/8 EEC | 430213-30834 | | Solid | | | Sprocket (X160000100) | | 84 | X268-000040 | | | |
| | 60LRS58D-3/8 EC | X128-000040 | | Laminate | | | Sprocket | | | | | | |
| 70 | 24D8TW3884 | X108-000020 | | Solid | | | Hard | | 92 | X270-000050 | | | |
| | 28D8TW3892 | X110-000000 | | Solid | | | Hard | | | | | | |
| 70RS58T-3/8 EEC | 4302153-0834 | Solid | Sprocket (X160000100) | 96 | X270-000060 | | | | | | | | |
| CS-8002 (EU) | 0.058 | 3/8 | 45 | S | 45RS58T-3/8 EEC | 430217-30834 | Solid | Sprocket (X160000100) | 64 | 73LGX | 431017-30831 | A2LM | |
| | | | | | 45S58 | 430217-31733 | | Hard | | | | | |
| | | | 50 | | 50RS58T-3/8 EEC | 430212-30834 | Solid | Sprocket (X160000100) | 72 | | | | 431012-30831 |
| | | | | | 50S58D-3/8 EEC | X106-000060 | | Hard | | | | | |
| | | | 60 | | 50S58 | 430212-31733 | Solid | Hard | 84 | | | | 431013-30831 |
| | | | | | 60RS58T-3/8 EEC | 430213-30834 | | Sprocket (X160000100) | | | | | |
| | | | 70 | | 60S58 | 430213-31732 | Solid | Hard | 96 | | | | 431015-30831 |
| | | | | | 70RS58T-3/8 EEC | 430215-30834 | | Sprocket (X160000100) | | | | | |
| 70S58 | 430215-31733 | Hard | | | | | | | | | | | |